





01 FLOOR PLAN
SCALE: 1/4"=1'-0"

REVISIONS	BY



PLANS PREPARED BY:

A & S ENGINEERING INC.
 PLANNING ENGINEERING CONSTRUCTION MANAGEMENT
 893 PATRIOT DRIVE, UNIT "A" MOORPARK, CA 93021
 PHONE: (805) 531-9700 FAX: (805) 531-9701




INDEPENDENT ARCO STATION

COST CENTER # -
 ADDRESS: 2207 VALLEY BOULEVARD
 POMONA, CA 91768

DRAWN	LY
CHECKED	-
DATE	12/22/2016
SHT. TITLE	FLOOR PLAN
JOB NUMBER	-
SHEET	-

A1.1

\\ARCO\VALLEY (2017-2018)\ARCO\PROJECTS\2017-2018\2017-2018-15



01 ROOF PLAN
SCALE: 1/4"=1'-0"

GENERAL NOTES

- REFER TO SPECIFICATION SHEETS A7.3 & A7.4 FOR ROOF SYSTEM, INCLUDING GUARANTEES, CURBS, FLASHING, AND ECT.
- REFER TO ROOFING MANUFACTURERS WRITTEN INSTRUCTIONS AND DETAILS FOR ROOFING SYSTEM INSTALLATION. CONTRACTOR TO PROVIDE COMPLETE ROOFING PACKAGE PER MANUFACTURERS RECOMMENDATIONS.
- ROOF ASSEMBLY SHALL COMPLY WITH U.L. I-BD AND FM CLASS "B" RATINGS INCLUDING COPING, FLASHING, PARAPET WALL, AND ROOF SYSTEM.
- DO NOT STOCKPILE EQUIPMENT OR MATERIALS ON THE ROOF STRUCTURE, UNLESS APPROVED IN WRITING BY THE ARCHITECT, STRUCTURAL ENGINEER, AND THE TRUSS MANUFACTURER.
- FOR EQUIPMENT COMPRESSOR & CONDENSER REFER TO EQUIPMENT PLAN ON SHEET Q1.1 AND EQUIPMENT SCHEDULE ON SHEET Q2.1.
- GENERAL CONTRACTOR IS TO PROVIDE TEMPORARY CONSTRUCTION PERIMETER GUARDRAIL TO COMPLY WITH CODE OF FEDERAL REGULATIONS 29 CFR 1926, SUBPART M (OSCA), GUARDRAIL TO BE 42" HIGH AND BE ABLE TO WITHSTAND 200 POUNDS AT TOP EDGE.
- REFER TO MECHANICAL PLANS FOR VENT PIPE PENETRATION AND CURB DETAILS. ALL ROOF PENETRATIONS SHALL BE THROUGH THE CURBS, UNLESS NOTED OTHERWISE.
- PARAPET ADJACENT TO MECHANICAL EQUIPMENT / ROOF ACCESS TO BE MINIMUM 42" HIGH WHEN WITHIN 10 FEET OF ROOF EDGE.

KEYED NOTES

- ROOF MATCH PER DETAIL 7/A4.1
- ROOF DRAIN AND OVERFLOW
- CANT STRIP PER DETAIL 8/A4.1
- TAPERED INSULATION CRICKET
- ROOFTOP UNIT, REFER TO MECHANICAL PLANS.
- CONDENSER, REFER TO EQUIPMENT AND ELECTRICAL PLAN
- EXHAUST FAN, REFER TO MECHANICAL PLANS
- STEEL CANOPY BELOW
- SATELLITE ON BALLASTED CURB
- SHOP FORMED PRE-FINISHED METAL COPING, REFER TO DETAIL 1/A4.1
- FACE OF EXTERIOR WALL BELOW
- FACE OF PARAPET WALL
- METAL LID FLASHING
- STEEL CANOPY GUTTER
- ROOF JACK, REFER TO MECHANICAL PLANS.
- GAS WATER HEATER FLUE, REFER TO MECHANICAL PLANS.
- CANOPY DOWNSPOUT

ROOFING

- RF-1 REINFORCED MECHANICALLY FASTENED .045" THICK SINGLE-PLY FROM MEMBRANE.
PRODUCT: FIRESTONE RUBBERGARD ECOMWHITE ROOFING SYSTEM OR APPROVED
INSULATION PROTECTION BOARD: 3/4" OSB, PLYWOOD, OR EQUIVALENT.
ROOF INSULATION: RIGID POLYISOCYANURATE WITH A MINIMUM R-VALUE AS NOTED IN THE ENERGY CALCULATIONS. REFER TO SPECIFICATION SHEET A7.4 FOR ADDITIONAL COMPLIANCE REQUIREMENTS.

EQUIPMENT MAINTENANCE PATH

REVISIONS	BY

PLANS PREPARED BY:




A & S ENGINEERING INC.
PLANNING ENGINEERING CONSTRUCTION MANAGEMENT
853 PATRIOT DRIVE, UNIT "A" MOORPARK, CA 93021
PHONE: (805) 531-9700 FAX: (805) 531-9701

INDEPENDENT ARCO STATION


COST CENTER # 2207 VALLEY BOULEVARD
ADDRESS: 2207 VALLEY BOULEVARD
FORKLAND, CA 91786

DRAWN	LV
CHECKED	-
DATE	12/22/2016
SHT. TITLE	ROOF PLAN
JOB NUMBER	-
SHEET	-

A1.4




01 FRONT ELEVATION
SCALE: 1/4"=1'-0"



02 LEFT ELEVATION
SCALE: 1/4"=1'-0"

03 RIGHT ELEVATION
SCALE: 1/4"=1'-0"



04 REAR ELEVATION
SCALE: 1/4"=1'-0"

GENERAL NOTES

- A. REVEAL LOCATIONS IN FINISH SYSTEM SHOWN ARE TO ALIGN AS CLOSELY AS POSSIBLE TO ELEVATIONS

KEYED NOTES

- 1 ALUMINUM ENTRANCE AND STOREFRONT SYSTEM, REFER TO SHEET AS 3 & SPECIFICATION
- 2 STEEL AWNING ROD AND CLEVIS
- 3 OVERFLOW DRAIN
- 4 WALL POSTER
- 5 INTERNALLY ILLUMINATED SURFACE MOUNTED WALL SIGN
- 6 WALL MOUNTED LED FIXTURE
- 7 WALL MOUNTED SIGN LIGHTING
- 8 ROOFTOP EQUIPMENT BEYOND

COLOR LEGEND

- P-1 BENJAMIN MOORE, 1077, "GREAT PLAINS GOLD"
P-2 BENJAMIN MOORE, 1030, "BRANDY CREAM"
P-3 BENJAMIN MOORE, AF-655, "SILHOUETTE", HIGH GLOSS

MATERIAL LEGEND

- STUCCO 3/4" CEMENT PLASTER, INSTALLED PER MFG. SPECIFICATIONS; TEXTURE: FINE SAND FINISH
S-FLEX STUC-O-FLEX ELASTOMERIC ACRYLIC FINISH OVER CEMENT PLASTER, INSTALLED PER MFG. SPECIFICATIONS; TEXTURE: FINE SAND FINISH
ALUM CLEAR ANODIZED ALUMINUM
STL-1 STEEL AWNING

OPTION
PANELIZED STONE (OPTION)
MFR: CORONADO, SERIES: PRO-1000 COLOR: "ALASKAN SUNSET"
CLERESTORY DESIGNER NOTE:
SUN EXPOSURE SHOULD BE CONSIDERED FOR WINDOW USE AT CLERESTORY. IN TEMPERATE CLIMATE AVOID SOUTH AND WEST EXPOSURE OR ADD SHADING OR LOW E GLAZING

COLOR LEGEND

- P-1 DUNN EDWARDS, DE6130, "WOODED ACHIE"
P-2 DUNN EDWARDS DE6128, "SAND OLIVE"
P-3 DUNN EDWARDS DEC756, "WEATHERED BROWN", HIGH GLOSS

REVISIONS	BY

PLANS PREPARED BY:



A & S ENGINEERING INC.
PLANNING ENGINEERING CONSTRUCTION MANAGEMENT
883 PATRIOT DRIVE UNIT "A" MOOREPARK, CA 95021
PHONE: (925) 331-9766 FAX: (925) 331-9767

INDEPENDENT ARCO STATION



COST CENTER # -
2207 VALLEY BOULEVARD
ADDRESS: POCOMA, CA 91768

DRAWN	LV
CHECKED	-
DATE	12/22/2016
SHT. TITLE	COLOR ELEVATIONS
JOB NUMBER	-
SHEET	-

A2.1

LEGAL DESCRIPTION:
THE LAND REFERRED TO HEREIN IS SITUATED IN THE COUNTY OF LOS ANGELES, STATE OF CALIFORNIA, AND IS DESCRIBED AS FOLLOWS:
PARCEL 1, AS SHOWN ON PARCEL MAP NO. 2099, IN THE CITY OF POMONA, COUNTY OF LOS ANGELES, STATE OF CALIFORNIA, AS PER MAP RECORDED FEBRUARY 2, 1971 IN BOOK 30 PAGE 2 OF PARCEL MAPS, IN THE OFFICE OF THE COUNTY RECORDER OF SAID COUNTY.

ASSESSOR'S PARCEL NUMBER: 8707-006-001



VICINITY MAP
N.T.S.

REVISIONS	BY
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	




PLANS PREPARED BY:
A & S ENGINEERING INC.
PLANNING ENGINEERING CONSTRUCTION MANAGEMENT
681 PATROL DRIVE SUITE 100
POMONA, CA 91768
PHONE: (909) 531-9700 FAX: (909) 531-9701

INDEPENDANT ARCO STATION

COST CENTER #:
ADDRESS: 2207 VALLEY BOULEVARD
POMONA, CA 91768

DRAWN:
HOSS FARZAD
CHECKED:
HF
DATE:
08-15-2016
BY THE
PROPOSED
SITE PLAN
JOB NUMBER
-
SHEET

PS1



PROPOSED SITE PLAN W/DEMO IN DASHED LINE

A.C. ASPHALT CONCRETE

STREET LIGHT

PWB PUBLIC WORKS FIELD BOOK
CONC. CONCRETE
HC HANDICAPPED PARKING
SAW SPIKE AND WASHER
T SIGN
B BOLLARD
AW AIR & WATER STATION
SD STORM DRAIN CRATE
TC TOP OF CURB ELEVATION
FL FLOWLINE ELEVATION

* YARD LIGHT
TRAFFIC SIGNAL
TRAFFIC SIGNAL BOX
STREET LIGHT BOX
POWER POLE
WATER METER
CONC. CONCRETE ELEVATION
AC PAVEMENT ELEVATION
FF FINISH FLOOR ELEVATION
NG NATURAL GROUND ELEVATION
EC ELECTRIC CABINET

EXISTING LEGEND:

NEW LEGEND:

NEW CANOPY STRUCTURE
DEMO EXISTING BUILDING, CANOPY, POST, TE, PLANTER
NEW BUILDING, CAR WASH, TE ETC
NEW PLANTER AREA
NEW UNDERGROUND STORAGE TANKS
NEW YARD LIGHT MATCH EXISTING



SITE INFORMATION

ITEM	SIZE	LOT %	AREA (SQ.FT.)
TOTAL LOT AREA	N/A	N/A	31,275.6 SF = 0.717 ACRES
PROPOSED FOOD MART	34'x77.5'	8.28	2,590.5
PROPOSED CANOPY	36'x119'	14.45	4,322.0
PROPOSED CAR WASH	20'x45'	3.07	900.0
LANDSCAPING	N/A	14.45	4,320.9
TYPE OF CONSTRUCTION:			
CANOPY = I-B			
FOOD MART = V-B, NON-SPRINKLER			
CAR WASH = V-B, NON-SPRINKLER			
PARKING CALCULATION: 2,590.5/250 = 11.0			
PARKING REQUIRED = 11			
PARKING PROVIDED			
1 - 17'x18' DISABILITY PARKING SPACE			
14 - 9'x18' STANDARD PARKING			
TOTAL: 15 PARKING SPACES PROVIDED			
ADDITIONAL 8 PARKING UNDER CANOPY			

LEGAL DESCRIPTION:


THE LAND REFERRED TO HEREIN IS SITUATED IN THE COUNTY OF LOS ANGELES, STATE OF CALIFORNIA, AND IS DESCRIBED AS FOLLOWS:
PARCEL 1, AS SHOWN ON PARCEL MAP NO. 2089, IN THE CITY OF POMONA, COUNTY OF LOS ANGELES, STATE OF CALIFORNIA, AS PER MAP RECORDED FEBRUARY 2, 1971 IN BOOK 30 PAGE 2 OF PARCEL MAPS IN THE OFFICE OF THE COUNTY RECORDER OF SAID COUNTY.

ASSESSOR'S PARCEL NUMBER: 8767-005-011



VICINITY MAP
N.T.S.


REVISIONS	BY
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	



PLANS PREPARED BY:
A & S ENGINEERING INC.
PLANNING ENGINEERING CONSTRUCTION MANAGEMENT
893 PATRIOT DRIVE, UNIT "A" MCDONALD, CA 91021
PHONE: (805) 531-9700 FAX: (805) 531-9701

INDEPENDANT ARCO STATION
COST CENTER # -
2207 VALLEY BOULEVARD
POMONA, CA 91768

DATE 08-15-2016
SHT. TITLE PROPOSED FIRE LANE SITE PLAN
JOB NUMBER -
SHEET -
PS2



PROPOSED FIRE LANE W/DEMO IN DASHED LINE

EXISTING LEGEND:		NEW LEGEND:	
A.C.	ASPHALT CONCRETE	STREET LIGHT	
P.W.B.	PUBLIC WORKS FIELD BOOK	* LIGHT POLE	
CONC.	CONCRETE	TRAFFIC SIGNAL	
H.C.	HANDICAPPED PARKING	TRAFFIC SIGNAL BOX	
S.W.	SPIKE AND WASHER	STREET LIGHT BOX	
+	SIGN	POWER POLE	
•	BOLLARD	WATER METER	
AW	AIR & WATER STATION	CONCRETE ELEVATION	
SG	STORM DRAIN GRATE	PAVEMENT ELEVATION	
TC	TOP OF CURB ELEVATION	FINISH FLOOR ELEVATION	
FL	FLOWLINE ELEVATION	NATURAL GROUND ELEVATION	
		ELECTRIC CABINET	
		NEW CANOPY STRUCTURE	
		DEMO EXISTING BUILDING, CANOPY, UGST, TE, PLANTER	
		NEW BUILDING, CAR WASH, IE ETC	
		NEW PLANTER AREA	
		NEW UNDERGROUND STORAGE TANKS	
		NEW YARD LIGHT MATCH EXISTING	

SCOPE OF WORK

1. INSTALL MINIMUM 36" WIDE YELLOW COLOR DETECTABLE WARNING PER PLAN AND CBC FIGURE 11B-705.1
2. CONSTRUCT 4,751.4 SQUARE FEET, 8-COLUMNS STEEL STRUCTURE CANOPY PER PLAN & ELEVATIONS
3. CONSTRUCT 2,590.5 SQUARE FEET BUILDING PER PLAN & ELEVATIONS AND STRUCTURAL DRAWINGS
4. CONSTRUCT LANDSCAPE & PLANTING AREA PER PLAN & LANDSCAPE DRAWINGS.
5. RELOCATE AND MODIFY EXISTING MONUMENT SIGN PER PLAN. SIGNS ARE UNDER SEPARATE PERMIT.
6. EXISTING DRIVEWAY WILL REMAIN THE SAME
7. EXISTING FREEWAY SIGN WILL REMAIN THE SAME
8. CONSTRUCT 12'-0"x12'-0"x8'-0" HIGH STUCCO FINISH CMU TRASH ENCLOSURE MATCH BUILDING WITH DOUBLE STEEL GATE PER PLAN AND CITY STANDARD
9. STRIPE (2)-2'-0"x8'-0" BICYCLE PARKING SPACES WITH REQUIRED BIKE U RACK PER PLAN & DETAIL 5/SD1 FOR SHORT TERM AND LONG TERM BICYCLE PARKING
10. INSTALL YARD LIGHTS TO MATCH EXISTING PER ELECTRICAL DRAWINGS
11. EXISTING SIDEWALK WILL REMAIN THE SAME
12. INSTALL MAIN SWITCH BOARD PER ELECTRICAL DRAWINGS.
13. LOCATION OF UNDERGROUND STORAGE TANKS SEE PIPING PLAN
14. 6'-0"x5'-0" CLEAR AND LEVEL AREA SLOPE NOT TO EXCEED 2.0% AT ANY DIRECTION. FLOOR NOT MORE THAN 1" LOWER THAN THE THRESHOLD
15. 5'-0"x5'-0" CLEAR AND LEVEL AREA SLOPE NOT TO EXCEED 2.0% AT ANY DIRECTION. FLOOR NOT MORE THAN 1" LOWER THAN THE THRESHOLD
16. STRIPE 17'-0"x18'-0" DISABILITY PARKING SPACE PER PLAN. SLOPE NOT TO EXCEED 2.0% AT ANY DIRECTION SEE DETAIL 1/SD1
17. INSTALL DISABILITY PARKING SIGNS PER PLAN. SEE DETAIL 2/SD1
18. INSTALL ADDITIONAL SIGN AT EACH ENTRANCE TO OFF STREET PARKING FACILITIES OR IMMEDIATELY ADJACENT AND VISIBLE FROM EACH ACCESSIBLE STALL OR SPACE PER PLAN SEE DETAIL 3/SD1
19. INSTALL AIR AND WATER UNIT PER PLAN
20. CONSTRUCT REINFORCED CONCRETE PAVING PER PLAN.
21. EXISTING FIRE HYDRANT WILL REMAIN THE SAME, FIELD VERIFY
22. STRIPE STANDARD PARKING STALLS PER CITY STANDARD
23. REINSTALL EXISTING HEAVY TANK PER PLAN AND UNDER SEPARATE PERMIT.
24. ELECTRICAL TRANSFORMER CONCRETE PAD SEE ELECTRICAL SITE PLAN, TRANSFORMER INSTALLATION BY UTILITY COMPANY
25. 30"x48" CLEAR AND LEVEL AREA, SLOPE NO TO EXCEED 2.0% AT ANY DIRECTION
26. CONSTRUCT 6'-0" HIGH STUCCO FINISH CMU RECYCLING ENCLOSURE MATCH BUILDING WITH 3'-0" STEEL GATE PER PLAN
27. INSTALL PRODUCTION DISPENSER OVER 6" HIGH CONCRETE ISLAND TYPICAL OF 8 PER PLAN
28. UNDERGROUND CLARIFIER PER CAR WASH MANUFACTURER AND PER PLUMBING / CIVIL
29. CAR WASH COIN BOX PER CAR WASH MANUFACTURER.
30. 10' LONG X 6" WIDE X 8" DEEP CAR WASH TRENCH DRAIN PER CAR WASH MANUFACTURER.
31. CONSTRUCT 980.0 SQUARE FEET CAR WASH BUILDING PER PLAN & ELEVATIONS AND STRUCTURAL DRAWINGS
32. INSTALL (2) VACUUM PER MANUFACTURER SPEC. AND PER PLAN
33. (2) EXISTING YARD LIGHTS WILL REMAIN THE SAME
34. PROPOSED FIRE HYDRANT PER FIRE DEPARTMENT REQUIREMENT
35. CONSTRUCT 6'-0" HIGH DECORATIVE MASONRY WALL PER (P20) SECTION 363.1.



SITE INFORMATION

ITEM	SIZE	LOT %	AREA (SQ.FT.)
TOTAL LOT AREA	N/A	N/A	31,275.6 SF = 0.717 ACRES
PROPOSED FOOD MART	34'x77.5'	8.28	2,590.5
PROPOSED CANOPY	38'x119'	14.45	4,522.0
PROPOSED CAR WASH	28'x48'	3.07	960.0
LANDSCAPING	N/A	14.45	4,520.9
TYPE OF CONSTRUCTION:			
CANOPY = I-B			
FOOD MART = V-B, NON-SPRINKLER			
CAR WASH = V-B, NON-SPRINKLER			
PARKING CALCULATION: 2590.5/250 = 11.0			
PARKING REQUIRED = 11			
PARKING PROVIDED			
1 - 17'x18' DISABILITY PARKING SPACE			
14 - 8'x18' STANDARD PARKING			
TOTAL : 15 PARKING SPACES PROVIDED			
ADDITIONAL 8 PARKING UNDER CANOPY			


THE LAND REFERRED TO HEREIN IS SITUATED IN THE COUNTY OF LOS ANGELES, STATE OF CALIFORNIA, AND IS DESCRIBED AS FOLLOWS:

PARCEL 1, AS SHOWN ON PARCEL MAP NO. 1089, IN THE CITY OF POMONA, COUNTY OF LOS ANGELES, STATE OF CALIFORNIA, AS PER MAP RECORDED FEBRUARY 2, 1971 IN BOOK 30 PAGE 2 OF PARCEL MAPS, IN THE OFFICE OF THE COUNTY RECORDER OF SAID COUNTY.

ASSESSOR'S PARCEL NUMBER: B707-006-011



REVISIONS	B
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	



PLANS PREPARED BY:




A & S ENGINEERING INC.

PLANNING ENGINEERING CONSTRUCTION MANAGEMENT
693 PATRIOT DRIVE, UNIT "A" MOORPARK, CA 93021
PHONE: (805) 531-9700 FAX: (805) 531-9701

COST CENTER #: ---
ADDRESS: 2207 VALLEY BOULEVARD
POMONA, CA 91768

INDEPENDANT ARCO STATION



PROPOSED FUEL TANKER TRUCK W/DEMO IN DASHED LINE

AC	ASPHALT CONCRETE		STREET LIGHT
PWB	PUBLIC WORKS FIELD BOOK		YARD LIGHT
CONC.	CONCRETE		TRAFFIC SIGNAL
HC	HANDICAPPED PARKING		TRAFFIC SIGNAL BOX
SAW	SPIKE AND WASHER		STREET LIGHT BOX
	SIGN		POWER POLE
B	BOLLARD		WATER METER
AW	AIR & WATER STATION	CONC.	CONCRETE ELEVATION
SD	STORM DRAIN GRATE	AC	PAVEMENT ELEVATION
TC	TOP OF CURB ELEVATION	FF	FINISH FLOOR ELEVATION
FL	FLOWLINE ELEVATION	NG	NATURAL GROUND ELEVATION
			ELECTRIC CABINET

NEW CANOPY STRUCTURE
DEMO EXISTING BUILDING, CANOPY, UGST, TE, PLANTER
NEW BUILDING, CAR WASH, TE ETC
NEW PLANTER AREA

NEW UNDERGROUND STORAGE TANKS

NEW YARD LIGHT MATCH EXISTING

SITE INFORMATION			
ITEM	SIZE	LOT %	AREA (\$0.FT.)
TOTAL LOT AREA	N/A	N/A	31,275.6 SF = 0.717 ACRES
PROPOSED FOOD MART	34'X77.5'	8.28	2,580.5
PROPOSED CANOPY	35'x119'	14.45	4,522.0
PROPOSED CAR WASH	20'X48'	3.07	860.0
LANDSCAPING	N/A	14.45	4,520.9
TYPE OF CONSTRUCTION:			
CANOPY = I-B			
FOOD MART = V-B, NON-SPRINKLER			
CAR WASH = V-B, NON-SPRINKLER			
PARKING CALCULATION: 2590.5/250 = 11.0			
PARKING REQUIRED = 11			
PARKING PROVIDED			
1 - 17'X18' DISABILITY PARKING SPACE			
14 - 9'X18' STANDARD PARKING			
TOTAL : 15 PARKING SPACES PROVIDED			
ADDITIONAL 8 PARKING UNDER CANOPY			

DRAWN
HOSS FARZAD
CHECKED
HF
DATE
08-15-2016
SMT. TITLE
PROPOSED FUEL TANKER TRUCK SITE PLAN
JOB NUMBER

SHEET
PS3