

CLEAN VERSION OF RECOMMENDED AMENDMENTS

SECTION 1, The City Council hereby amend the Tree Protection and Preservation Program outlined below.

1) Definitions.

- a) "ANSI A300 Pruning Standards." Industry-developed, national consensus standards for the practice of tree care such as reasons to prune a tree may include, but are not limited to, reducing risk, managing tree health and structure, improve aesthetics, or achieving other specific objectives. Intended for use by federal, state, municipal, private entities including arborists, property owners, property managers, and utilities.
- b) "Character-Defining Landscaping." Character-defining landscaping shall include all the trees currently designated on the City's "Protected Species List" and located in the Lincoln Park and Wilton Heights Historic Districts.
- c) "Circumference measured at breast height." The measurement around the tree trunk that is measured at four and one-half (4½) feet above ground level. Trees that split into multi-trunks below four and one-half (4½) feet shall use the sum of each individual trunk measured at four and one-half (4½) feet above ground level to determine the circumferences.
- d) "Diameter at breast height (dbh)." A form of measurement of an existing tree trunk. Diameter is measured at four and one-half (4½) feet above ground level. Trees that split into multi trunks below four and one-half (4½) feet shall use the sum of each individual trunk measured four and one-half (4½) feet above the natural grade to determine the diameter.
- e) "Drip line." A line which may be drawn on the ground around a tree directly under its outermost branch tips and which identifies that location where rainwater tends to drip from the tree.
- f) "Hazard or hazardous condition." Any condition in a tree that poses a significant and imminent threat of serious injury or harm to the public or catastrophic damage to real property.
- g) "Historic Sites." Historic sites shall include historic landmarks and contributing and non-contributing structures within historic districts. Structures legally exempted from the historic district shall not be subject to the private property restrictions of this program. Landscaping within the public right-of-way adjacent to an exempted structure shall be subject to this program.
- h) "ISA." The International Society of Arboriculture ("ISA") which is a professional association of arborists and tree workers that is recognized internally as one of the

leading agencies in the research and establishment of high standards for all aspects of tree care.

- i) "Landmark tree." A tree designated as a landmark under Chapter 17.62 of this code as a tree of historic or cultural significance and of importance to the community due to any of the following factors: It is one of the largest or oldest trees of the species located in the city; it has historical significance due to an association with a historic building, site, street, person or event; or it is a defining landmark or significant outstanding feature of a neighborhood.
- j) "Landmark-eligible tree." A tree which meets the criteria for designation as a landmark tree, as determined by the review authority.
- k) "Maintain or maintenance." The act of routinely pruning, trimming, spraying, fertilizing, watering, treating for disease or injury or any other similar act which promotes growth, health, beauty, and life of trees.
- l) "Multi-trunk." Any tree with multiple trunks attributed to a single tree. Each trunk shall be measured at a height of four and one-half (4½) feet above ground level, and the combined circumference of the trunks shall be used to determine the tree's size for purposes of this chapter.
- m) "Protected Species List." The City's comprehensive list of all protected trees, including specimen (heritage) trees as defined by City Council Resolution No. 73- 68, and trees located on public and private property with the Lincoln Park and Wilton Heights Historic Districts. The list includes Pomona-area native species and other species based on the diameter at breast height (dbh) and overall height.
- n) "Pruning." Pruning, trimming, or thinning means to reduce the size of a tree using industry accepted standards, as established by the International Society of Arboriculture and/or the American National Standards Institute (ANSI) A300 Standards-Pruning, to control the height and spread of the tree, preserve its health and natural appearance, produce fuller branching and shaping, or make adjustments which will increase its longevity in an urban environment.
- o) "Removal/remove." Removal or remove means the uprooting, cutting or severing of the main trunk, or major branches of a tree or any act which causes, or maybe reasonably expected to cause a tree to die, including but not limited to the following; inflicting damage upon the root system of a tree by machinery, storage of materials, or soil compaction; substantially changing the grade above the root system or trunk of the tree and excessively or severely pruning or root pruning.
- p) "Serious harm." With regard to any tree, any act or activity that causes damage to a tree thereby leaving the tree in a physical state that, in the judgment of the City Arborist or any other Certified Arborist retained by the city, (i) makes the death of the tree reasonably eminent; (ii) significantly shortens the normal life expectancy of the tree; or

(iii) makes it impossible or reasonably unlikely that the tree can be fully restored to a condition of good health and/or normal appearance within thirty (30) calendar days of such harm having been inflicted.

- q) "Severely prune" means pruning the tree that deviates from industry standards by "topping," "lion's tailing," removal of more than twenty-five (25) percent of the foliage or leaving stubs.
- r) "Street Trees." Any tree planted by the city on a city easement, parkway and or dedicated land. Trees or landscaping planted in the public right-of-way by adjacent property owners are not considered street trees, unless such tree is required as a condition of approval from the Historic Preservation Commission or City Council.
- s) "Topping," also known as "heading back," "stubbing," and or "pollarding" means a severe type of trimming which results in the indiscriminate cutting back of large diameter branches to stubs. Such severe practices disfigures the tree and is generally hazardous to the overall health and stability of a tree.

2) Coordination with Southern California Edison on Line Clearing Activities.

- a) *Annual Line Clearing Schedule Notification.* Annually, Southern California Edison shall submit to the Public Works Department a schedule of anticipated tree trimming in all City Historic Districts. The schedule shall identify contractors and locations.
- b) *Palm Tree Identification.* Annual notification shall include identification of all palm trees in Historic Districts that have the potential to encroach on power lines.
- c) *Line Clearing Standards.* All line clearance work on mature significant trees, specimen (heritage) trees, or city street trees shall be in compliance with the utility pruning standards established by the International Society of Arboriculture and the Utility Arborists Association, A summary of the standards is presented in Exhibit A.
- d) *Historic Preservation Commission Notification.* All notifications provided to the Public Works Department shall be sent to the Historic Preservation Commission within ten (10) days of a scheduled tree trimming within all City Historic Districts.

3) Removal of Character-Defining Landscaping.

- a) *Permitted Removals.* Removal of Character-Defining Landscaping shall be permitted if one of the following criteria is met, subject to approval of a Minor Certificate of Appropriateness.
 - i. *Imminent Danger to Public Welfare.* A Minor Certificate of Appropriateness shall be submitted prior to removal of any and all character-defining landscaping within the Lincoln Park and Wilton Heights Historic Districts that is clearly an imminent danger to the public welfare, including trees that are in immediate danger of toppling,

blocking traffic visibility and cannot be trimmed to allow a clear line of sight, damaging structures that threaten lives, and/or damaging infrastructure that provide essential services such as electrical power or communications that could threaten lives or the provision of essential services such as electrical power or communications. The City Building Official, City Engineer, and/or City Arborist shall assess all potential imminent danger situations, determine the severity of the situation and provide a recommendation to the Planning Manager. This does not include damage to sewer and water lines that disrupt service to private property unless an imminent danger to the public welfare is present. The Minor Certificate of Appropriateness may be approved after removal of any character-defining landscaping so as not to delay removal of an imminent danger to the public welfare.

- ii. *Dead or Diseased Trees.* A Minor Certificate of Appropriateness shall be obtained prior to removal of any dead or diseased trees within the Lincoln Park and Wilton Heights Historic Districts that are not likely to recover and/or have the potential to infect other nearby trees. The City Arborist shall assess all dead or diseased trees and provide a recommendation to the Planning Manager.
 - b) *Unpermitted Removal.* A retroactive Minor Certificate of Appropriateness shall be obtained for all unpermitted removal of any and all character-defining landscaping within the Lincoln Park and Wilton Heights Historic Districts.
- 4) **Pruning and Trimming.** All trees listed on the City's Protected Species List pruned or trimmed in conformance with the most current guidelines of International Society of Arboriculture and the American National Standards Institute (ANSI) A300-Pruning Standards shall not require a permit. Pruning or trimming that deviates from these guidelines shall require a Minor Certificate of Appropriateness.
- 5) **Replacement.** The removals of any and all character-defining landscaping within the Lincoln Park and Wilton Heights Historic Districts shall be subject to replacement as defined below.
- a) *Permitted Removals.* Permitted removal of any and all character-defining landscaping subject to a Minor Certificate of Appropriateness shall be replaced based on a ratio that replaces the benefit loss of the removed tree(s) using an objective methodology acceptable to the City Arborist. The replacement trees shall be planted with suitable species selected from the City's recommended tree palette and with the approval from the City Arborist. If any trees cannot be planted on the subject property, or the immediate public right-of-way, an in-lieu fee may be paid into the City's tree mitigation and planting fund, which shall be used to plant trees within the historic district where the tree(s) were removed. The tree replacement requirements must be satisfied within one year of the granting of a Minor Certificate of Appropriateness for tree removals.
 - b) *Unpermitted Removals.* Unpermitted removal of any and all character-defining landscaping subject to a retroactive Minor Certificate of Appropriateness shall be replaced based on a ratio that replaces the benefit loss of the removed tree(s) multiplied by two (2) using an objective methodology acceptable to the City Arborist. The

replacement trees shall be planted with suitable species selected from the City's recommended tree palette and with the approval from the City Arborist. If any trees cannot be planted on the subject property, or the immediate public right-of-way, an in-lieu fee may be paid into the City's tree mitigation and planting fund, which shall be used to plant trees within the historic district where the tree(s) were removed. The tree replacement requirements must be satisfied within one year of the granting of a Minor Certificate of Appropriateness for tree removals. This section shall not apply to the removal of character-defining landscaping that is an imminent danger to the public welfare.

- c) *Unpermitted removals during Construction Activities.* If an unpermitted tree removal occurs in the course of any construction activities authorized pursuant to a conditional use permit, variance, design review, tentative map or other discretionary land use approval or any city-issued grading permit, building permit, excavation permit or temporary certificate of occupancy, the City, in addition to all other remedies available to it under this chapter, may issue a stop-work order suspending and prohibiting further activity on the property until a mitigation plan has been filed with and approved by the Development Services Director, agreed to in writing by the property owner(s) and either implemented or guaranteed by the posting of adequate security. The mitigation plan shall include measures for the protection of any remaining Protected Trees.
- 6) **Appeals.** In accordance with the following provisions, any applicant or other interested person dissatisfied with any decision on the application for a Minor Certificate of Appropriateness may appeal such decision.
- a) Decisions of the Planning Manager or designee may be appealed to the Historic Preservation Commission. Decisions of the Historic Preservation Commission may be appealed to the City Council.
 - b) All appeals shall be made in writing stating the reason(s) for appeal. Such appeals shall be filed with the Planning Division within twenty (20) days of the decision on the application for a Certificate of Appropriateness. The receipt of a written appeal shall stay all actions, or put in abeyance all permits or other discretionary approvals which may have been granted, pending the effective date of the decision on the appeal.
 - c) Appeals shall be scheduled for the earliest regular meeting of the hearing body, not less than fifteen (15) days or more than forty-five (45) days after the date of filing an appeal, consistent with the agenda preparation procedures and scheduling of the Historic Preservation Commission and City Council meetings as the case may be.

EXHIBIT 1

DRAFT PROTECTED SPECIES LIST			
Pomona-area Native Protected			
Genus	Species	Common Name	Protection Size (DBH)
<i>Acer</i>	<i>macrophyllum</i>	Bigleaf maple	8"
<i>Aesculus</i>	<i>californica</i>	California buckeye	8"
<i>Alnus</i>	<i>rhombifolia</i>	White alder	8"
<i>Arctostaphylos</i>	<i>glauca</i>	Bigberry manzanita	8"
<i>Cercocarpus</i>	<i>betuloides</i>	Mountain ironwood	8"
<i>Frangula</i>	<i>californica</i>	Coffeeberry	8"
<i>Fraxinus</i>	<i>velutina</i>	Velvet ash	8"
<i>Heteromeles</i>	<i>arbutifolia</i>	Toyon	8"
<i>Juglans</i>	<i>californica</i>	Southern California black walnut	8"
<i>Juglans</i>	<i>hindsii</i>	Northern California black walnut	8"
<i>Juniperus</i>	<i>californica</i>	California juniper	8"
<i>Malosma</i>	<i>laurina</i>	Laurel sumac	8"
<i>Platanus</i>	<i>racemosa</i>	California sycamore	8"
<i>Populus</i>	<i>fremontii</i>	Fremont cottonwood	8"
<i>Populus</i>	<i>trichocarpa</i>	Black cottonwood	8"
<i>Prosopis</i>	<i>glandulosa</i>	Honey mesquite	8"
<i>Prunus</i>	<i>ilicifolia</i>	Hollyleaf cherry	8"
<i>Pseudotsuga</i>	<i>macrocarpa</i>	Bigcone Douglas fir	8"
<i>Quercus</i>	<i>agrifolia</i>	Coast live oak	8"
<i>Quercus</i>	<i>berberidifolia</i>	Scrub oak	8"
<i>Quercus</i>	<i>chrysolepis</i>	Canyon live oak	8"
<i>Quercus</i>	<i>durata</i>	Leather oak	8"
<i>Quercus</i>	<i>engelmannii</i>	Engelmann oak	8"
<i>Quercus</i>	<i>lobata</i>	Valley oak	8"
<i>Quercus</i>	<i>wislizeni</i>	Interior live oak	8"

<i>Rhamnus</i>	<i>ilicifolia</i>	Hollyleaf redberry	8"
<i>Rhus</i>	<i>integrifolia</i>	Lemonade berry	8"
<i>Rhus</i>	<i>ovata</i>	Sugar bush	8"
<i>Salix</i>	<i>exigua</i>	Sandbar willow	8"
<i>Salix</i>	<i>goodingii</i>	Gooding's willow	8"
<i>Salix</i>	<i>laevigata</i>	Red willow	8"
<i>Salix</i>	<i>lasiandra</i>	Pacific willow	8"
<i>Salix</i>	<i>lasiolepis</i>	Arroyo willow	8"
<i>Sambucus</i>	<i>nigra</i>	Blue elderberry	8"
<i>Umbellularia</i>	<i>californica</i>	California laurel	8"
Other DBH Protected			
Genus	Species	Common Name	Protection Size (DBH)
<i>Acer</i>	<i>buergerianum</i>	Trident maple	10"
<i>Acer</i>	<i>palmatum</i>	Japanese maple	10"
<i>Acer</i>	<i>saccharinum</i>	Silver Maple	16"
<i>Aesculus</i>	<i>x carnea</i>	Red horsechestnut	10"
<i>Aesculus</i>	<i>hippocastamum</i>	Common horsechestnut	10"
<i>Afrocarpus</i>	<i>falcatus</i>	African fern pine	16"
<i>Agonis</i>	<i>flexuosa</i>	Peppermint tree	10"
<i>Ailanthus</i>	<i>altissima</i>	Tree of heaven	16"
<i>Albizia</i>	<i>julibrissin</i>	Silk tree	16"
<i>Angophora</i>	<i>costata</i>	Rose gum	18"
<i>Araucaria</i>	<i>araucana</i>	Monkey puzzle tree	12"
<i>Araucaria</i>	<i>columnaris</i>	Cook pine	16"
<i>Araucaria</i>	<i>heterophylla</i>	Norfolk Island pine	12"
<i>Arbutus</i>	<i>menziesii</i>	Madrone	10"
<i>Arbutus</i>	<i>unedo</i>	Strawberry madrone	10"
<i>Bauhinia</i>	<i>variegata</i>	Purple orchid tree	14"
<i>Bauhinia</i>	<i>x blakeana</i>	Hong Kong orchid tree	14"
<i>Brachychiton</i>	<i>acerifolius</i>	Flame tree	18"

<i>Brachychiton</i>	<i>discolor</i>	Queensland lacebark	18"
<i>Brachychiton</i>	<i>populneus</i>	Kurrajong	18"
<i>Callistemon</i>	<i>citrinus</i>	Lemon bottlebrush	16"
<i>Calocedrus</i>	<i>decurrens</i>	Incense cedar	10"
<i>Calodendrum</i>	<i>capense</i>	Cape chestnut	10"
<i>Camellia</i>	<i>sp.</i>	Camellia	10"
<i>Carya</i>	<i>illinoensis</i>	Pecan	16"
<i>Casimiroa</i>	<i>edulis</i>	White sapote	10"
<i>Casuarina</i>	<i>cunninghamiana</i>	River she-oak	18"
<i>Cassia</i>	<i>fistula</i>	Golden shower	10"
<i>Castanospermum</i>	<i>australe</i>	Moreton Bay chestnut	16"
<i>Catalpa</i>	<i>speciosa</i>	Northern catalpa	12"
<i>Cedrus</i>	<i>atlantica</i>	Atlas cedar	16"
<i>Cedrus</i>	<i>deodora</i>	Deodar cedar	16"
<i>Ceiba</i>	<i>insignis</i>	White floss silk tree	18"
<i>Ceiba</i>	<i>speciosa</i>	Floss silk tree	18"
<i>Ceratonia</i>	<i>siliqua</i>	Carob tree	10"
<i>Cercis</i>	<i>canadensis</i>	Eastern redbud	10"
<i>Cercis</i>	<i>occidentalis</i>	Western redbud	10"
<i>Chilopsis</i>	<i>linearis</i>	Desert willow	10"
<i>Chionanthus</i>	<i>retusus</i>	Chinese fringe tree	10"
<i>x Chitalpa</i>	<i>tashkentensis</i>	Chitalpa	10"
<i>Cinnamomum</i>	<i>camphora</i>	Camphor tree	14"
<i>Citrus</i>	<i>limon</i>	Lemon	10"
<i>Citrus</i>	<i>paradisi</i>	Grapefruit	10"
<i>Citrus</i>	<i>sinensis</i>	Orange	10"
<i>Corymbia</i>	<i>citriodora</i>	Lemon-scented gum	18"
<i>Corymbia</i>	<i>ficifolia</i>	Red flowering gum	18"
<i>Cupaniopsis</i>	<i>anacardioides</i>	Carrot Wood	10"
<i>Cupressus</i>	<i>sempervirens</i>	Italian cypress	10"

<i>Diospyros</i>	<i>kaki</i>	Japanese persimmon	10"
<i>Dombeya</i>	<i>wallichii</i>	Pink-ball	16"
<i>Dracaena</i>	<i>draco</i>	Dragon tree	10"
<i>Eriobotrya</i>	<i>deflexa</i>	Bronze loquat	10"
<i>Eriobotrya</i>	<i>japonica</i>	Japanese loquat	10"
<i>Erythrina</i>	<i>x bidwillii</i>	Shrub coral tree	10"
<i>Erythrina</i>	<i>caffra</i>	South African coral tree	14"
<i>Erythrina</i>	<i>coralloides</i>	Naked coral tree	14"
<i>Erythrina</i>	<i>crista-galli</i>	Cockspur coral tree	10"
<i>Eucalyptus</i>	<i>cladocalyx</i>	Sugar gum	18"
<i>Eucalyptus</i>	<i>deglupta</i>	Rainbow eucalyptus	16"
<i>Eucalyptus</i>	<i>leucoxylon</i>	White ironbark	18"
<i>Eucalyptus</i>	<i>nicholii</i>	Nichol's willow-leaved peppermint	16"
<i>Eucalyptus</i>	<i>parvula</i>	Small-leaved gum	18"
<i>Eucalyptus</i>	<i>polyanthemos</i>	Silver dollar gum	16"
<i>Eucalyptus</i>	<i>sideroxylon</i>	Red ironbark	16"
<i>Ficus</i>	<i>benjamina</i>	Weeping fig	18"
<i>Ficus</i>	<i>carica</i>	Edible fig	10"
<i>Ficus</i>	<i>macrophylla</i>	Moreton Bay fig	18"
<i>Ficus</i>	<i>microcarpa 'Nitida'</i>	Indian laurel fig	18"
<i>Fraxinus</i>	<i>angustifolia 'Raywood'</i>	Raywood ash	18"
<i>Fraxinus</i>	<i>uhdei</i>	Evergreen ash	18"
<i>Fremontodendron</i>	<i>californicum</i>	Common flannel bush	10"
<i>Geijera</i>	<i>parviflora</i>	Australian willow	10"
<i>Ginkgo</i>	<i>biloba</i>	Maidenhair tree	14"
<i>Grevillea</i>	<i>robusta</i>	Silk oak tree	16"
<i>Grevillea</i>	<i>striata</i>	Beefwood	18"
<i>Handroanthus</i>	<i>chrysotrichus</i>	Golden trumpet tree	10"
<i>Handroanthus</i>	<i>heptaphyllus</i>	Pink trumpet tree	10"
<i>Ilex</i>	<i>aquifolium</i>	English holly	10"

<i>Jacaranda</i>	<i>mimosifolia</i>	Jacaranda	10"
<i>Juglans</i>	<i>nigra</i>	Black walnut	18"
<i>Juglans</i>	<i>regia</i>	English walnut	18"
<i>Koelreuteria</i>	<i>bipinnata</i>	Chinese flame tree	12"
<i>Lagerstroemia</i>	<i>indica</i>	Crape myrtle	10"
<i>Laurus</i>	<i>nobilis</i>	Sweet bay	10"
<i>Leptospermum</i>	<i>laevigatum</i>	Australian tea tree	10"
<i>Leucaena</i>	<i>leucocephala</i>	White popinac	10"
<i>Ligustrum</i>	<i>japonica</i>	Japanese privet	10"
<i>Ligustrum</i>	<i>lucidum</i>	Glossy privet	10"
<i>Liquidambar</i>	<i>styraciflua</i>	American sweet gum	16"
<i>Liriodendron</i>	<i>tulipifera</i>	Tulip tree	12"
<i>Lophostemon</i>	<i>confertus</i>	Brisbane box	16"
<i>Macadamia</i>	<i>integrifolia</i>	Smooth-shell macadamia	10"
<i>Magnolia</i>	<i>grandiflora</i>	Southern magnolia	16"
<i>Melaleuca</i>	<i>linariifolia</i>	Flaxleaf paperbark	18"
<i>Melaleuca</i>	<i>quinquenervia</i>	Cajeput tree	18"
<i>Melia</i>	<i>azedarach</i>	Chinaberry	14"
<i>Metrosideros</i>	<i>excelsa</i>	New Zealand Christmas tree	10"
<i>Michelia</i>	<i>doltsopa</i>	Sweet michelia	10"
<i>Morus</i>	<i>alba</i>	White mulberry	10"
<i>Olea</i>	<i>europaea</i>	Olive	12"
<i>Paraserianthes</i>	<i>lopantha</i>	Plume albizia	10"
<i>Parkinsonia</i>	<i>florida</i>	Blue Palo Verde	12"
<i>Parkinsonia</i>	<i>microphylla</i>	Little leaf palo verde	10"
<i>Persea</i>	<i>americana</i>	Mexican avocado	10"
<i>Pinus</i>	<i>canariensis</i>	Canary Island pine	18"
<i>Pinus</i>	<i>coulteri</i>	Coulter pine	16"
<i>Pinus</i>	<i>eldarica</i>	Mondell Pine	16"
<i>Pinus</i>	<i>halepensis</i>	Aleppo pine	16"

<i>Pinus</i>	<i>pinea</i>	Italian stone pine	18"
<i>Pinus</i>	<i>ponderosa</i>	Ponderosa pine	18"
<i>Pinus</i>	<i>radiata</i>	Monterey pine	16"
<i>Pinus</i>	<i>torreyana</i>	Torrey pine	18"
<i>Pittosporum</i>	<i>rhombifolium</i>	Queensland pittosporum	12"
<i>Pittosporum</i>	<i>tobira</i>	Japanese cheesewood	12"
<i>Pittosporum</i>	<i>undulatum</i>	Victorian box	12"
<i>Platanus</i>	<i>x hispanica</i>	London plane tree	12"
<i>Platanus</i>	<i>occidentalis</i>	American sycamore	12"
<i>Prunus</i>	<i>avium</i>	Sweet cherry	10"
<i>Prunus</i>	<i>cerasifera</i>	Purple-leaf plum	10"
<i>Prunus</i>	<i>dulcis</i>	Almond	10"
<i>Prunus</i>	<i>persica</i>	Peach	10"
<i>Pseudotsuga</i>	<i>menziesii</i>	Douglas fir	18"
<i>Punica</i>	<i>granatum</i>	Pomegranate	10"
<i>Pyrus</i>	<i>calleryana</i>	Ornamental pear	10"
<i>Quercus</i>	<i>douglasii</i>	Blue oak	10"
<i>Quercus</i>	<i>ilex</i>	Holly oak	10"
<i>Quercus</i>	<i>kelloggii</i>	California black oak	10"
<i>Quercus</i>	<i>macrocarpa</i>	Bur oak	10"
<i>Quercus</i>	<i>robur</i>	English oak	10"
<i>Quercus</i>	<i>rubra</i>	Red oak	10"
<i>Quercus</i>	<i>suber</i>	Cork oak	10"
<i>Quercus</i>	<i>virginiana</i>	Southern live oak	10"
<i>Robinia</i>	<i>pseudoacacia</i>	Black locust	10"
<i>Sambucus</i>	<i>canadensis</i>	American elderberry	12"
<i>Schinus</i>	<i>molle</i>	Peruvian pepper tree	18"
<i>Schinus</i>	<i>terebinthofolius</i>	Brazilian pepper tree	18"
<i>Sequoia</i>	<i>sempervirens</i>	Coast redwood	18"
<i>Stenocarpus</i>	<i>sinuatus</i>	Firewheel tree	10"

<i>Syzygium</i>	<i>australe</i>	Brush cherry	10"
<i>Syzygium</i>	<i>paniculatum</i>	Australian bush cherry	10"
<i>Tipuana</i>	<i>tipu</i>	Tipu tree	10"
<i>Ulmus</i>	<i>americana</i>	American elm	16"
<i>Ulmus</i>	<i>parvifolia</i>	Chinese elm	16"
<i>Ulmus</i>	<i>pumila</i>	Siberian elm	16"
<i>Xylosma</i>	<i>congestum</i>	Shiny xylosma	10"
<i>Zelkova</i>	<i>serrata</i>	Sawleaf zelkova	12"
Other Height Protected			
Genus	Species	Common Name	Protection Size (Height)
<i>Archontophoenix</i>	<i>cunninghamiana</i>	King palm	12'
<i>Brahea</i>	<i>armata</i>	Mexican blue palm	8'
<i>Brahea</i>	<i>edulis</i>	Guadalupe palm	8'
<i>Butia</i>	<i>capitata</i>	Pindo palm	8'
<i>Chamaerops</i>	<i>humilis</i>	Mediterranean fan palm	8'
<i>Livistona</i>	<i>australis</i>	Australian cabbage palm	10'
<i>Livistona</i>	<i>chinensis</i>	Chinese fountain palm	10'
<i>Phoenix</i>	<i>canariensis</i>	Canary Island date palm	12'
<i>Phoenix</i>	<i>dactylifera</i>	Date palm	12'
<i>Phoenix</i>	<i>reclinata</i>	Senegal date palm	10'
<i>Phoenix</i>	<i>roebelenii</i>	Pygmy date palm	8'
<i>Strelitzia</i>	<i>nicolai</i>	Giant bird of paradise	10'
<i>Syagrus</i>	<i>romanzoffianum</i>	Queen palm	10'
<i>Trachycarpus</i>	<i>fortunei</i>	Windmill palm	10'
<i>Washingtonia</i>	<i>filifera</i>	California fan palm	12'
<i>Washingtonia</i>	<i>robusta</i>	Mexican fan palm	15'
<i>Yucca</i>	<i>gloriosa</i>	Spanish dagger yucca	8'